

Reference List of the 2015 imechanica Journal Club of February

- [1] Biot, M.A. 1965 *Mechanics of incremental deformation*. New York, NY.
- [2] Gent, A.N. & Cho, I.S. 1999 Surface Instabilities in Compressed or Bent Rubber Blocks. *Rubber Chemistry and Technology* 72, 253-262. (doi:10.5254/1.3538798).
- [3] Brau, F., Vandeparre, H., Sabbah, A., Poulard, C., Boudaoud, A. & Damman, P. 2010 Multiple-length-scale elastic instability mimics parametric resonance of nonlinear oscillators. *Nature Physics* 7, 56-60. (doi:10.1038/nphys1806).
- [4] M. Diab, J. Torres, M. Monn & K.-S. Kim 2015 Wrinkle Spectroscopy for Soft Multilayer Materials. to be submitted.
- [5] Pocivavsek, L., Dellsy, R., Kern, A., Johnson, S., Lin, B.H., Lee, K.Y.C. & Cerda, E. 2008 Stress and fold localization in thin elastic membranes. *Science* 320, 912-916. (doi:10.1126/science.1154069).
- [6] Sun, J.Y., Xia, S., Moon, M.W., Oh, K.H. & Kim, K.S. 2011 Folding wrinkles of a thin stiff layer on a soft substrate. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* 468, 932-953. (doi:10.1098/rspa.2011.0567).
- [7] Cao, Y. & Hutchinson, J.W. 2012 Wrinkling Phenomena in Neo-Hookean Film/Substrate Bilayers. *Journal of Applied Mechanics* 79, 031019. (doi:10.1115/1.4005960).
- [8] Bowden, N., Brittain, S., Evans, A.G., Hutchinson, J.W. & Whitesides, G.M. 1998 Spontaneous formation of ordered structures in thin films of metals supported on an elastomeric polymer. *Nature* 393, 146-149. (doi:10.1038/30193).
- [9] Efimenko, K., Rackaitis, M., Manias, E., Vaziri, A., Mahadevan, L. & Genzer, J. 2005 Nested self-similar wrinkling patterns in skins. *Nature materials* 4, 293-297. (doi:10.1038/nmat1342).
- [10] Faruque Ahmed, S., Nagashima, S., Lee, J.Y., Lee, K.-R., Kim, K.-S. & Moon, M.-W. 2014 Self-assembled folding of a biaxially compressed film on a compliant substrate. *Carbon* 76, 105-112. (doi:10.1016/j.carbon.2014.04.056).
- [11] Diab, M., Zhang, T., Zhao, R., Gao, H. & Kim, K.S. 2013 Ruga mechanics of creasing: from instantaneous to setback creases. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* 469, 20120753-20120753. (doi:10.1098/rspa.2012.0753).
- [12] Diab, M. & Kim, K.S. 2014 Ruga-formation instabilities of a graded stiffness boundary layer in a neo-Hookean solid. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* 470, 20140218-20140218. (doi:10.1098/rspa.2014.0218).
- [13] Ruike Zhao, T.Z., Huajian Gao & Kyung-Suk Kim. 2015 Phase diagram evolution pathways of wrinkling, creasing and folding in a bilayer system. to be submitted.
- [14] Jia, Z., Peng, C., Lou, J. & Li, T. 2012 A map of competing buckling-driven failure modes of substrate-supported thin brittle films. *Thin Solid Films* 520, 6576-6580. (doi:10.1016/j.tsf.2012.07.011).

- [15] Zhang, T., Li, X. & Gao, H. 2014 Defects controlled wrinkling and topological design in graphene. *J Mech Phys Solids* 67, 2-13. (doi:10.1016/j.jmps.2014.02.005).
- [16] Zhang, Z. & Li, T. 2011 Determining graphene adhesion via substrate-regulated morphology of graphene. *Journal of Applied Physics* 110, 083526. (doi:10.1063/1.3656720).
- [17] Zhu, S. & Li, T. 2014 Hydrogenation-assisted graphene origami and its application in programmable molecular mass uptake, storage, and release. *ACS nano* 8, 2864-2872. (doi:10.1021/nn500025t).
- [18] Zhu, S. & Li, T. 2014 Wrinkling Instability of Graphene on Substrate-Supported Nanoparticles. *Journal of Applied Mechanics* 81, 061008. (doi:10.1115/1.4026638).
- [19] Chung, J.Y., Youngblood, J.P. & Stafford, C.M. 2007 Anisotropic wetting on tunable micro-wrinkled surfaces. *Soft Matter* 3, 1163-1169. (doi:10.1039/B705112c).
- [20] Chan, E.P., Smith, E.J., Hayward, R.C. & Crosby, A.J. 2008 Surface Wrinkles for Smart Adhesion. *Advanced materials* 20, 711-716. (doi:10.1002/adma.200701530).
- [21] Kim, D.H., Ahn, J.H., Choi, W.M., Kim, H.S., Kim, T.H., Song, J., Huang, Y.Y., Liu, Z., Lu, C. & Rogers, J.A. 2008 Stretchable and foldable silicon integrated circuits. *Science* 320, 507-511. (doi:10.1126/science.1154367).
- [22] Ko, H.C., Stoykovich, M.P., Song, J., Malyarchuk, V., Choi, W.M., Yu, C.J., Geddes, J.B., 3rd, Xiao, J., Wang, S., Huang, Y., et al. 2008 A hemispherical electronic eye camera based on compressible silicon optoelectronics. *Nature* 454, 748-753. (doi:10.1038/nature07113).
- [23] Lin, P.-C., Vajpayee, S., Jagota, A., Hui, C.-Y. & Yang, S. 2008 Mechanically tunable dry adhesive from wrinkled elastomers. *Soft Matter* 4, 1830. (doi:10.1039/b802848f).
- [24] Khare, K., Zhou, J. & Yang, S. 2009 Tunable open-channel microfluidics on soft poly(dimethylsiloxane) (PDMS) substrates with sinusoidal grooves. *Langmuir* 25, 12794-12799. (doi:10.1021/la901736n).
- [25] Rahmawan, Y., Moon, M.W., Kim, K.S., Lee, K.R. & Suh, K.Y. 2010 Wrinkled, dual-scale structures of diamond-like carbon (DLC) for superhydrophobicity. *Langmuir* 26, 484-491. (doi:10.1021/la902129k).
- [26] Rogers, J.A., Someya, T. & Huang, Y. 2010 Materials and mechanics for stretchable electronics. *Science* 327, 1603-1607. (doi:10.1126/science.1182383).
- [27] Chen, A., Lieu, D.K., Freschauf, L., Lew, V., Sharma, H., Wang, J., Nguyen, D., Karakikes, I., Hajjar, R.J., Gopinathan, A., et al. 2011 Shrink-film configurable multiscale wrinkles for functional alignment of human embryonic stem cells and their cardiac derivatives. *Advanced materials* 23, 5785-5791. (doi:10.1002/adma.201103463).
- [28] Kim, J.B., Kim, P., Pégard, N.C., Oh, S.J., Kagan, C.R., Fleischer, J.W., Stone, H.A. & Loo, Y.-L. 2012 Wrinkles and deep folds as photonic structures in photovoltaics. *Nature Photonics* 6, 327-332. (doi:10.1038/nphoton.2012.70).

- [29] Zhang, T., Zhang, Z., Kim, K.-S. & Gao, H. 2012 An accordion model integrating self-cleaning, strong attachment and easy detachment functionalities of gecko adhesion. *Journal of Adhesion Science and Technology* 28, 226-239. (doi:10.1080/01694243.2012.691788).
- [30] Zhang, Z., Zhang, T., Zhang, Y.W., Kim, K.S. & Gao, H. 2012 Strain-controlled switching of hierarchically wrinkled surfaces between superhydrophobicity and superhydrophilicity. *Langmuir* 28, 2753-2760. (doi:10.1021/la203934z).
- [31] Li, R., Yi, H., Hu, X., Chen, L., Shi, G., Wang, W. & Yang, T. 2013 Generation of diffraction-free optical beams using wrinkled membranes. *Scientific reports* 3. (doi:10.1038/srep02775).
- [32] Cao, C., Chan, H.F., Zang, J., Leong, K.W. & Zhao, X. 2014 Harnessing localized ridges for high-aspect-ratio hierarchical patterns with dynamic tunability and multifunctionality. *Advanced materials* 26, 1763-1770. (doi:10.1002/adma.201304589).
- [33] Terwagne, D., Brojan, M. & Reis, P.M. 2014 Smart morphable surfaces for aerodynamic drag control. *Advanced materials* 26, 6608-6611. (doi:10.1002/adma.201401403).
- [34] Wang, P., Casadei, F., Shan, S., Weaver, J.C. & Bertoldi, K. 2014 Harnessing Buckling to Design Tunable Locally Resonant Acoustic Metamaterials. *Phys Rev Lett* 113. (doi:10.1103/PhysRevLett.113.014301).
- [35] Cullen, D.K., Browne, K.D., Xu, Y., Adeeb, S., Wolf, J.A., McCarron, R.M., Yang, S., Chavko, M. & Smith, D.H. 2011 Blast-induced color change in photonic crystals corresponds with brain pathology. *Journal of neurotrauma* 28, 2307-2318. (doi:10.1089/neu.2011.1718).
- [36] Budday, S., Raybaud, C. & Kuhl, E. 2014 A mechanical model predicts morphological abnormalities in the developing human brain. *Scientific reports* 4, 5644. (doi:10.1038/srep05644).
- [37] Tallinen, T., Chung, J.Y., Biggins, J.S. & Mahadevan, L. 2014 Gyrfication from constrained cortical expansion. *Proceedings of the National Academy of Sciences of the United States of America* 111, 12667-12672. (doi:10.1073/pnas.1406015111).
- [38] Dervaux, J., Couder, Y., Guedeau-Boudeville, M.-A. & Ben Amar, M. 2011 Shape Transition in Artificial Tumors: From Smooth Buckles to Singular Creases. *Phys Rev Lett* 107. (doi:10.1103/PhysRevLett.107.018103).
- [39] Li, B., Cao, Y.-P., Feng, X.-Q. & Gao, H. 2012 Mechanics of morphological instabilities and surface wrinkling in soft materials: a review. *Soft Matter* 8, 5728. (doi:10.1039/c2sm00011c).
- [40] Pruss, S., Fraiser, M. & Bottjer, D.J. 2004 Proliferation of Early Triassic wrinkle structures: Implications for environmental stress following the end-Permian mass extinction. *Geology* 32, 461. (doi:10.1130/g20354.1).
- [41] Porada, H. & Bouougri, E.H. 2007 Wrinkle structures—a critical review. *Earth-Science Reviews* 81, 199-215. (doi:10.1016/j.earscirev.2006.12.001).
- [42] Li, K., Ge, D. & Cai, S. 2012 Gravity-induced wrinkling of thin films on soft substrates. *EPL (Europhysics Letters)* 100, 54004. (doi:10.1209/0295-5075/100/54004).

- [43] Mariotti, G., Pruss, S.B., Perron, J.T. & Bosak, T. 2014 Microbial shaping of sedimentary wrinkle structures. *Nature Geoscience* 7, 736-740. (doi:10.1038/ngeo2229).
- [44] Biot, M.A. 1960 Instability of a continuously inhomogeneous viscoelastic half-space under initial stress. *Journal of the Franklin Institute* 270, 190-201. (doi:10.1016/0016-0032(60)90589-5).
- [45] Biot, M.A. 1963 Surface instability of rubber in compression. *Applied Scientific Research* 12, 168-182. (doi:10.1007/BF03184638).
- [46] Nowinski, J.L., Mechanical, U.o.D.D.o. & Engineering, A. 1968 On the Surface Instability of an Isotropic Highly Elastic Half-space, Department of Mechanical and Aerospace Engineering, University of Delaware.
- [47] H.G., A. 1969 Analysis and design of structural sandwich panels. New York, NY, Pergamon press.
- [48] Shield, T.W., Kim, K.S. & Shield, R.T. 1994 The Buckling of an Elastic Layer Bonded to an Elastic Substrate in Plane Strain. *Journal of Applied Mechanics* 61, 231. (doi:10.1115/1.2901434).
- [49] Steigmann, D.J. & Ogden, R.W. 1997 Plane deformations of elastic solids with intrinsic boundary elasticity. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* 453, 853-877. (doi:10.1098/rspa.1997.0047).
- [50] Cerda, E. & Mahadevan, L. 1998 Conical surfaces and crescent singularities in crumpled sheets. *Phys Rev Lett* 80, 2358-2361. (doi:10.1103/PhysRevLett.80.2358).
- [51] Huang, R. & Suo, Z. 2002 Wrinkling of a compressed elastic film on a viscous layer. *Journal of Applied Physics* 91, 1135. (doi:10.1063/1.1427407).
- [52] Huang, R. & Suo, Z. 2002 Instability of a compressed elastic film on a viscous layer. *International Journal of Solids and Structures* 39, 1791-1802. (doi:10.1016/s0020-7683(02)00011-2).
- [53] Cerda, E. & Mahadevan, L. 2003 Geometry and physics of wrinkling. *Phys Rev Lett* 90, 074302. (doi:10.1103/PhysRevLett.90.074302).
- [54] Huang, R. 2005 Kinetic wrinkling of an elastic film on a viscoelastic substrate. *J Mech Phys Solids* 53, 63-89. (doi:10.1016/j.jmps.2004.06.007).
- [55] Huang, Z.Y., Hong, W. & Suo, Z. 2005 Nonlinear analyses of wrinkles in a film bonded to a compliant substrate. *J Mech Phys Solids* 53, 2101-2118. (doi:10.1016/j.jmps.2005.03.007).
- [56] Huang, J., Juszkiwicz, M., de Jeu, W.H., Cerda, E., Emrick, T., Menon, N. & Russell, T.P. 2007 Capillary wrinkling of floating thin polymer films. *Science* 317, 650-653. (doi:10.1126/science.1144616).
- [57] Lee, D., Triantafyllidis, N., Barber, J.R. & Thouless, M.D. 2008 Surface instability of an elastic half space with material properties varying with depth. *J Mech Phys Solids* 56, 858-868. (doi:10.1016/j.jmps.2007.06.010).
- [58] Song, J., Jiang, H., Liu, Z.J., Khang, D.Y., Huang, Y., Rogers, J.A., Lu, C. & Koh, C.G. 2008 Buckling of a stiff thin film on a compliant substrate in large deformation. *International Journal of Solids and Structures* 45, 3107-3121. (doi:10.1016/j.ijsolstr.2008.01.023).

- [59] Hobbie, E.K., Simien, D.O., Fagan, J.A., Huh, J.Y., Chung, J.Y., Hudson, S.D., Obrzut, J., Douglas, J.F. & Stafford, C.M. 2010 Wrinkling and Strain Softening in Single-Wall Carbon Nanotube Membranes. *Phys Rev Lett* 104, 125505. (doi:10.1103/Physrevlett.104.125505).
- [60] Yin, J. & Chen, X. 2010 Elastic buckling of gradient thin films on compliant substrates. *Philosophical Magazine Letters* 90, 423-433. (doi:10.1080/09500831003745258).
- [61] Davis, C.S. & Crosby, A.J. 2011 Mechanics of wrinkled surface adhesion. *Soft Matter* 7, 5373. (doi:10.1039/c1sm05146f).
- [62] King, H., Schroll, R.D., Davidovitch, B. & Menon, N. 2012 Elastic sheet on a liquid drop reveals wrinkling and crumpling as distinct symmetry-breaking instabilities. *Proceedings of the National Academy of Sciences of the United States of America* 109, 9716-9720. (doi:10.1073/pnas.1201201109).
- [63] Chen, Y.-C. & Crosby, A.J. 2013 Wrinkling of inhomogeneously strained thin polymer films. *Soft Matter* 9, 43. (doi:10.1039/c2sm26822a).
- [64] Semler, M.R., Harris, J.M. & Hobbie, E.K. 2014 Wrinkling and folding of nanotube-polymer bilayers. *The Journal of chemical physics* 141, 044901. (doi:10.1063/1.4887775).
- [65] W.T., K. 1945 On the stability of elastic equilibrium (in Dutch with English summary).
 , Techn. Univ. of Delft.
- [66] Hutchinson, J.W., Koiter, W. T. . 1970 Postbuckling theory *Applied Mechanics Reviews* 23, 1353-1366.
- [67] Budiansky, B. 1974 Theory of Buckling and Post-Buckling Behavior of Elastic Structures. *Adv. Appl. Mech.* 14, 1-65. (doi:10.1016/s0065-2156(08)70030-9).
- [68] Hutchinson, J.W. 2013 The role of nonlinear substrate elasticity in the wrinkling of thin films. *Philosophical transactions. Series A, Mathematical, physical, and engineering sciences* 371, 20120422. (doi:10.1098/rsta.2012.0422).
- [69] Cao, Y. & Hutchinson, J.W. 2011 From wrinkles to creases in elastomers: the instability and imperfection-sensitivity of wrinkling. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* 468, 94-115. (doi:10.1098/rspa.2011.0384).
- [70] Stafford, C.M., Harrison, C., Beers, K.L., Karim, A., Amis, E.J., VanLandingham, M.R., Kim, H.C., Volksen, W., Miller, R.D. & Simonyi, E.E. 2004 A buckling-based metrology for measuring the elastic moduli of polymeric thin films. *Nature materials* 3, 545-550. (doi:10.1038/nmat1175).
- [71] Choi, H.J., Kim, J.H., Lee, H.J., Song, S.A., Lee, H.J., Han, J.H. & Moon, M.W. 2009 Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis. *Experimental Mechanics* 50, 635-641. (doi:10.1007/s11340-009-9243-8).
- [72] Hohlfeld, E.B. 2008 Creasing, point-bifurcations, and the spontaneous breakdown of scale-invariance, Harvard University.

- [73] Hong, W., Zhao, X. & Suo, Z. 2009 Formation of creases on the surfaces of elastomers and gels. *Applied Physics Letters* 95, 111901. (doi:10.1063/1.3211917).
- [74] Hohlfeld, E. & Mahadevan, L. 2011 Unfolding the Sulcus. *Phys Rev Lett* 106. (doi:10.1103/PhysRevLett.106.105702).
- [75] Hohlfeld, E. & Mahadevan, L. 2012 Scale and Nature of Sulcification Patterns. *Phys Rev Lett* 109, 025701. (doi:10.1103/PhysRevLett.109.025701).
- [76] Hohlfeld, E. 2013 Coexistence of Scale-Invariant States in Incompressible Elastomers. *Phys Rev Lett* 111. (doi:10.1103/PhysRevLett.111.185701).
- [77] W.-K. Seong, J.-Y.L., K.-R. Lee, J. Bae, J.-H. Jung, M. Diab, M.-W. Moon, K.-S. Kim, J. Ihm 2014 Conformational evolution of compressed graphene on Soft Substrates. To be submitted.
- [78] Zang, J.F., Zhao, X.H., Cao, Y.P. & Hutchinson, J.W. 2012 Localized ridge wrinkling of stiff films on compliant substrates. *J Mech Phys Solids* 60, 1265-1279. (doi:DOI 10.1016/j.jmps.2012.03.009).
- [79] Takei, A., Jin, L., Hutchinson, J.W. & Fujita, H. 2014 Ridge localizations and networks in thin films compressed by the incremental release of a large equi-biaxial pre-stretch in the substrate. *Advanced materials* 26, 4061-4067. (doi:10.1002/adma.201306162).
- [80] Moon, M.W., Jensen, H.M., Hutchinson, J.W., Oh, K.H. & Evans, A.G. 2002 The characterization of telephone cord buckling of compressed thin films on substrates. *J Mech Phys Solids* 50, 2355-2377. (doi:10.1016/s0022-5096(02)00034-0).
- [81] L.B. Freund, S.S. 2003 *Thin Film Materials: Stress, Defect Formation and Surface Evolution*, Cambridge University Press.
- [82] Moon, M.W., Lee, K.R., Oh, K.H. & Hutchinson, J.W. 2004 Buckle delamination on patterned substrates. *Acta Materialia* 52, 3151-3159. (doi:10.1016/j.actamat.2004.03.014).
- [83] Mei, H., Huang, R., Chung, J.Y., Stafford, C.M. & Yu, H.-H. 2007 Buckling modes of elastic thin films on elastic substrates. *Applied Physics Letters* 90, 151902. (doi:10.1063/1.2720759).
- [84] Zang, J., Ryu, S., Pugno, N., Wang, Q., Tu, Q., Buehler, M.J. & Zhao, X. 2013 Multifunctionality and control of the crumpling and unfolding of large-area graphene. *Nature materials* 12, 321-325. (doi:10.1038/nmat3542).
- [85] Wang, Q.M. & Zhao, X.H. 2014 Phase Diagrams of Instabilities in Compressed Film-Substrate Systems. *J Appl Mech-T Asme* 81, 051004. (doi:Doi 10.1115/1.4025828).
- [86] Zhang, K. & Arroyo, M. 2014 Understanding and strain-engineering wrinkle networks in supported graphene through simulations. *J Mech Phys Solids* 72, 61-74. (doi:10.1016/j.jmps.2014.07.012).
- [87] Tanaka, T., Sun, S.-T., Hirokawa, Y., Katayama, S., Kucera, J., Hirose, Y. & Amiya, T. 1987 Mechanical instability of gels at the phase transition. *Nature* 325, 796-798. (doi:10.1038/325796a0).
- [88] Huck, W.T.S., Bowden, N., Onck, P., Pardoën, T., Hutchinson, J.W. & Whitesides, G.M. 2000 Ordering of Spontaneously Formed Buckles on Planar Surfaces. *Langmuir* 16, 3497-3501. (doi:10.1021/la991302l).

- [89] Lin, P.-C. & Yang, S. 2007 Spontaneous formation of one-dimensional ripples in transit to highly ordered two-dimensional herringbone structures through sequential and unequal biaxial mechanical stretching. *Applied Physics Letters* 90, 241903. (doi:10.1063/1.2743939).
- [90] Trujillo, V., Kim, J. & Hayward, R.C. 2008 Creasing instability of surface-attached hydrogels. *Soft Matter* 4, 564. (doi:10.1039/b713263h).
- [91] Breid, D. & Crosby, A.J. 2009 Surface wrinkling behavior of finite circular plates. *Soft Matter* 5, 425. (doi:10.1039/b807820c).
- [92] Yoon, J., Kim, J. & Hayward, R.C. 2010 Nucleation, growth, and hysteresis of surface creases on swelled polymer gels. *Soft Matter* 6, 5807. (doi:10.1039/c0sm00372g).
- [93] Kim, P., Abkarian, M. & Stone, H.A. 2011 Hierarchical folding of elastic membranes under biaxial compressive stress. *Nature materials* 10, 952-957. (doi:10.1038/nmat3144).
- [94] Nowinski, J.L. 1969 Surface Instability of a Half-space under High Two-dimensional Compression. *Journal of the Franklin Institute* 288, 367-376. (doi:10.1016/0016-0032(69)90017-9).
- [95] Usmani, S.A. & Beatty, M.F. 1974 On the surface instability of a highly elastic half-space. *Journal of Elasticity* 4, 249-263. (doi:10.1007/bf00048609).
- [96] Chen, X. & Hutchinson, J.W. 2004 Herringbone buckling patterns of compressed thin films on compliant substrates. *J Appl Mech-T Asme* 71, 597-603. (doi:10.1115/1.1756141).
- [97] Chen, X. & Hutchinson, J.W. 2004 A family of herringbone patterns in thin films. *Scripta Materialia* 50, 797-801. (doi:10.1016/j.scriptamat.2003.11.035).
- [98] Mahadevan, L. & Rica, S. 2005 Self-organized origami. *Science* 307, 1740. (doi:10.1126/science.1105169).
- [99] Audoly, B. & Boudaoud, A. 2008 Buckling of a stiff film bound to a compliant substrate - Part I: Formulation, linear stability of cylindrical patterns, secondary bifurcations. *J Mech Phys Solids* 56, 2401-2421. (doi:10.1016/j.jmps.2008.03.003).
- [100] Audoly, B. & Boudaoud, A. 2008 Buckling of a stiff film bound to a compliant substrate - Part II: A global scenario for the formation of herringbone pattern. *J Mech Phys Solids* 56, 2422-2443. (doi:DOI 10.1016/j.jmps.2008.03.002).
- [101] Audoly, B. & Boudaoud, A. 2008 Buckling of a stiff film bound to a compliant substrate - Part III: Herringbone solutions at large buckling parameter. *J Mech Phys Solids* 56, 2444-2458. (doi:10.1016/j.jmps.2008.03.001).
- [102] Song, J., Jiang, H., Choi, W.M., Khang, D.Y., Huang, Y. & Rogers, J.A. 2008 An analytical study of two-dimensional buckling of thin films on compliant substrates. *Journal of Applied Physics* 103, 014303. (doi:10.1063/1.2828050).
- [103] Cai, S., Breid, D., Crosby, A.J., Suo, Z. & Hutchinson, J.W. 2011 Periodic patterns and energy states of buckled films on compliant substrates. *J Mech Phys Solids* 59, 1094-1114. (doi:10.1016/j.jmps.2011.02.001).

- [104] Kohn, R.V. & Nguyen, H.-M. 2012 Analysis of a Compressed Thin Film Bonded to a Compliant Substrate: The Energy Scaling Law. *Journal of Nonlinear Science* 23, 343-362. (doi:10.1007/s00332-012-9154-1).
- [105] Tallinen, T., Biggins, J.S. & Mahadevan, L. 2013 Surface Sulci in Squeezed Soft Solids. *Phys Rev Lett* 110. (doi:10.1103/PhysRevLett.110.024302).
- [106] Ritchie, L., Xiao, G., Ji, Y., Chen, T., Chien, C., Zhang, M., Chen, J., Liu, Z., Wu, G. & Zhang, X. 2003 Magnetic, structural, and transport properties of the Heusler alloys Co₂MnSi and NiMnSb. *Physical Review B* 68. (doi:10.1103/PhysRevB.68.104430).
- [107] Liu, X., Mazumdar, D., Schrag, B., Shen, W. & Xiao, G. 2004 Magnetization reversal of submicrometer Co rings with uniaxial anisotropy via scanning magnetoresistance microscopy. *Physical Review B* 70. (doi:10.1103/PhysRevB.70.014407).
- [108] Vachon, M.A., Koutroulakis, G., Mitrović, V.F., Ma, O., Marston, J.B., Reyes, A.P., Kuhns, P., Coldea, R. & Tylczynski, Z. 2011 The nature of the low-energy excitations in the short-range-ordered region of Cs₂CuCl₄ as revealed by ¹³³Cs nuclear magnetic resonance. *New Journal of Physics* 13, 093029. (doi:10.1088/1367-2630/13/9/093029).
- [109] Cao, T., Wang, G., Han, W., Ye, H., Zhu, C., Shi, J., Niu, Q., Tan, P., Wang, E., Liu, B., et al. 2012 Valley-selective circular dichroism of monolayer molybdenum disulphide. *Nature communications* 3, 887. (doi:10.1038/ncomms1882).
- [110] Levendorf, M.P., Kim, C.J., Brown, L., Huang, P.Y., Havener, R.W., Muller, D.A. & Park, J. 2012 Graphene and boron nitride lateral heterostructures for atomically thin circuitry. *Nature* 488, 627-632. (doi:10.1038/nature11408).
- [111] Liu, Z., Gong, Y., Zhou, W., Ma, L., Yu, J., Idrobo, J.C., Jung, J., MacDonald, A.H., Vajtai, R., Lou, J., et al. 2013 Ultrathin high-temperature oxidation-resistant coatings of hexagonal boron nitride. *Nature communications* 4, 2541. (doi:10.1038/ncomms3541).
- [112] Kim, K., Lee, Z., Malone, B.D., Chan, K.T., Alemán, B., Regan, W., Gannett, W., Crommie, M.F., Cohen, M.L. & Zettl, A. 2011 Multiply folded graphene. *Physical Review B* 83, 245433.
- [113] Chen, Y., Guo, F., Qiu, Y., Hu, H., Kulaots, I., Walsh, E. & Hurt, R.H. 2013 Encapsulation of particle ensembles in graphene nanosacks as a new route to multifunctional materials. *ACS nano* 7, 3744-3753. (doi:10.1021/nn3055913).
- [114] Qin, Z., Taylor, M., Hwang, M., Bertoldi, K. & Buehler, M.J. 2014 Effect of wrinkles on the surface area of graphene: toward the design of nanoelectronics. *Nano letters* 14, 6520-6525. (doi:10.1021/nl503097u).
- [115] Ben Amar, M. & Goriely, A. 2005 Growth and instability in elastic tissues. *J Mech Phys Solids* 53, 2284-2319. (doi:10.1016/j.jmps.2005.04.008).
- [116] Goriely, A. & Ben Amar, M. 2005 Differential Growth and Instability in Elastic Shells. *Phys Rev Lett* 94. (doi:10.1103/PhysRevLett.94.198103).
- [117] Li, B., Jia, F., Cao, Y.-P., Feng, X.-Q. & Gao, H. 2011 Surface Wrinkling Patterns on a Core-Shell Soft Sphere. *Phys Rev Lett* 106. (doi:10.1103/PhysRevLett.106.234301).

- [118] Ciarletta, P. 2013 Buckling Instability in Growing Tumor Spheroids. *Phys Rev Lett* 110. (doi:10.1103/PhysRevLett.110.158102).
- [119] Jia, F., Li, B., Cao, Y.-P., Xie, W.-H. & Feng, X.-Q. 2015 Wrinkling pattern evolution of cylindrical biological tissues with differential growth. *Physical Review E* 91. (doi:10.1103/PhysRevE.91.012403).
- [120] Vandeparre, H., Piñeirua, M., Brau, F., Roman, B., Bico, J., Gay, C., Bao, W., Lau, C.N., Reis, P.M. & Damman, P. 2011 Wrinkling Hierarchy in Constrained Thin Sheets from Suspended Graphene to Curtains. *Phys Rev Lett* 106, 224301 (doi:10.1103/PhysRevLett.106.224301).
- [121] Meng, L., Su, Y., Geng, D., Yu, G., Liu, Y., Dou, R.-F., Nie, J.-C. & He, L. 2013 Hierarchy of graphene wrinkles induced by thermal strain engineering. *Applied Physics Letters* 103, 251610. (doi:10.1063/1.4857115).
- [122] Korznikova, E.A. & Dmitriev, S.V. 2014 Moving wrinkle in graphene nanoribbons. *Journal of Physics D: Applied Physics* 47, 345307. (doi:10.1088/0022-3727/47/34/345307).
- [123] Cao, Q., Kim, H.S., Pimparkar, N., Kulkarni, J.P., Wang, C., Shim, M., Roy, K., Alam, M.A. & Rogers, J.A. 2008 Medium-scale carbon nanotube thin-film integrated circuits on flexible plastic substrates. *Nature* **454**, 495-500. (doi:10.1038/nature07110).
- [124] Kocabas, C., Kim, H.S., Banks, T., Rogers, J.A., Pesetski, A.A., Baumgardner, J.E., Krishnaswamy, S.V. & Zhang, H. 2008 Radio frequency analog electronics based on carbon nanotube transistors. *Proceedings of the National Academy of Sciences of the United States of America* **105**, 1405-1409. (doi:10.1073/pnas.0709734105).
- [125] Kim, D.H., Viventi, J., Amsden, J.J., Xiao, J., Vigeland, L., Kim, Y.S., Blanco, J.A., Panilaitis, B., Frechette, E.S., Contreras, D., et al. 2010 Dissolvable films of silk fibroin for ultrathin conformal bio-integrated electronics. *Nature materials* **9**, 511-517. (doi:10.1038/nmat2745).
- [126] Viventi, J., Kim, D.H., Moss, J.D., Kim, Y.S., Blanco, J.A., Annetta, N., Hicks, A., Xiao, J., Huang, Y., Callans, D.J., et al. 2010 A conformal, bio-interfaced class of silicon electronics for mapping cardiac electrophysiology. *Science translational medicine* **2**, 24ra22. (doi:10.1126/scitranslmed.3000738).
- [127] Jung, I., Xiao, J., Malyarchuk, V., Lu, C., Li, M., Liu, Z., Yoon, J., Huang, Y. & Rogers, J.A. 2011 Dynamically tunable hemispherical electronic eye camera system with adjustable zoom capability. *Proceedings of the National Academy of Sciences of the United States of America* **108**, 1788-1793. (doi:10.1073/pnas.1015440108).
- [128] Kim, D.H., Lu, N., Ghaffari, R., Kim, Y.S., Lee, S.P., Xu, L., Wu, J., Kim, R.H., Song, J., Liu, Z., et al. 2011 Materials for multifunctional balloon catheters with capabilities in cardiac electrophysiological mapping and ablation therapy. *Nature materials* **10**, 316-323. (doi:10.1038/nmat2971).
- [129] Viventi, J., Kim, D.H., Vigeland, L., Frechette, E.S., Blanco, J.A., Kim, Y.S., Avrin, A.E., Tiruvadi, V.R., Hwang, S.W., Vanleer, A.C., et al. 2011 Flexible, foldable, actively multiplexed, high-density electrode array for mapping brain activity in vivo. *Nature neuroscience* **14**, 1599-1605. (doi:10.1038/nn.2973).
- [130] Molina-Lopez, F., Briand, D. & de Rooij, N.F. 2013 Decreasing the size of printed comb electrodes by the introduction of a dielectric interlayer for capacitive gas sensors on polymeric foil:

Modeling and fabrication. *Sensors and Actuators B: Chemical* **189**, 89-96. (doi:10.1016/j.snb.2013.01.008).

[131] Molina-Lopez, F., Quintero, A.V., Mattana, G., Briand, D. & de Rooij, N.F. 2013 Large-area compatible fabrication and encapsulation of inkjet-printed humidity sensors on flexible foils with integrated thermal compensation. *Journal of Micromechanics and Microengineering* **23**, 025012. (doi:10.1088/0960-1317/23/2/025012).

[132] Romeo, A., Liu, Q., Suo, Z. & Lacour, S.p.P. 2013 Elastomeric substrates with embedded stiff platforms for stretchable electronics. *Applied Physics Letters* **102**, 131904. (doi:10.1063/1.4799653).

[133] Vandeparre, H., Liu, Q., Minev, I.R., Suo, Z. & Lacour, S.P. 2013 Localization of folds and cracks in thin metal films coated on flexible elastomer foams. *Advanced materials* **25**, 3117-3121. (doi:10.1002/adma.201300587).

[134] Bernal, R.A., Aghaei, A., Lee, S., Ryu, S., Sohn, K., Huang, J., Cai, W. & Espinosa, H. 2015 Intrinsic bauschinger effect and recoverable plasticity in pentatwinned silver nanowires tested in tension. *Nano letters* **15**, 139-146. (doi:10.1021/nl503237t).

[135] Minev, I.R., Musienko, P., Hirsch, A., Barraud, Q., Wenger, N., Moraud, E.M., Gandar, J., Capogrosso, M., Milekovic, T., Asboth, L., et al. 2015 Biomaterials. Electronic dura mater for long-term multimodal neural interfaces. *Science* **347**, 159-163. (doi:10.1126/science.1260318).

[136] Minev, I.R., Musienko, P., Hirsch, A., Barraud, Q., Wenger, N., Moraud, E.M., Gandar, J., Capogrosso, M., Milekovic, T., Asboth, L., et al. 2015 Biomaterials. Electronic dura mater for long-term multimodal neural interfaces. *Science* **347**, 159-163. (doi:10.1126/science.1260318).

[137] Im, S. & Huang, R. 2008 Wrinkle patterns of anisotropic crystal films on viscoelastic substrates. *J Mech Phys Solids* **56**, 3315-3330. (doi:10.1016/j.jmps.2008.09.011).

[138] Chan, E.P., Page, K.A., Im, S.H., Patton, D.L., Huang, R. & Stafford, C.M. 2009 Viscoelastic properties of confined polymer films measured via thermal wrinkling. *Soft Matter* **5**, 4638. (doi:10.1039/b916207k).

[139] Kang, M.K. & Huang, R. 2011 Swelling-Induced Instability of Substrate-Attached Hydrogel Lines. *International Journal of Applied Mechanics* **03**, 219-233. (doi:10.1142/s1758825111000956).

[140] Mei, H., Landis, C.M. & Huang, R. 2011 Concomitant wrinkling and buckle-delamination of elastic thin films on compliant substrates. *Mechanics of Materials* **43**, 627-642. (doi:10.1016/j.mechmat.2011.08.003).

[141] Li, J., An, Y., Huang, R., Jiang, H. & Xie, T. 2012 Unique aspects of a shape memory polymer as the substrate for surface wrinkling. *ACS applied materials & interfaces* **4**, 598-603. (doi:10.1021/am201727a).

[142] Weiss, F.o., Cai, S., Hu, Y., Kyoo Kang, M., Huang, R. & Suo, Z. 2013 Creases and wrinkles on the surface of a swollen gel. *Journal of Applied Physics* **114**, 073507. (doi:10.1063/1.4818943).

[143] Jiang, T., Huang, R. & Zhu, Y. 2014 Interfacial Sliding and Buckling of Monolayer Graphene on a Stretchable Substrate. *Advanced Functional Materials* **24**, 396-402. (doi:10.1002/adfm.201301999).

- [144] Nayyar, V., Ravi-Chandar, K. & Huang, R. 2014 Stretch-induced wrinkling of polyethylene thin sheets: Experiments and modeling. *International Journal of Solids and Structures* **51**, 1847-1858. (doi:10.1016/j.ijsolstr.2014.01.028).
- [145] Chatterjee, S., McDonald, C., Niu, J., Velankar, S.S., Wang, P. & Huang, R. 2015 Wrinkling and folding of thin films by viscous stress. *Soft Matter*. (doi:10.1039/c4sm02501f).
- [146] Destrade, M., Ogden, R.W., Sgura, I. & Vergori, L. 2014 Straightening wrinkles. *J Mech Phys Solids***65**, 1-11. (doi:10.1016/j.jmps.2014.01.001).
- [147] Destrade, M., Ogden, R.W., Sgura, I. & Vergori, L. 2014 Straightening: existence, uniqueness and stability. *Proceedings. Mathematical, physical, and engineering sciences / the Royal Society* **470**, 20130709. (doi:10.1098/rspa.2013.0709).
- [148] Korznikova, E.A. & Dmitriev, S.V. 2014 Moving wrinkle in graphene nanoribbons. *Journal of Physics D: Applied Physics***47**, 345307. (doi:10.1088/0022-3727/47/34/345307).
- [149] Korznikova, E.A. & Dmitriev, S.V. 2014 Effect of the configuration of a wrinkle on the distributions of the energy and elastic strain in a graphene nanoribbon. *JETP Letters* **100**, 181-186. (doi:10.1134/s0021364014150107).
- [150] Vella, D., Ajdari, A., Vaziri, A. & Boudaoud, A. 2011 Wrinkling of Pressurized Elastic Shells. *Phys Rev Lett* **107**. (doi:10.1103/PhysRevLett.107.174301).
- [151] Blair, D. & Kudrolli, A. 2005 Geometry of Crumpled Paper. *Phys Rev Lett* **94**. (doi:10.1103/PhysRevLett.94.166107).
- [152] Holmes, D.P., Ursiny, M. & Crosby, A.J. 2008 Crumpled surface structures. *Soft Matter* **4**, 82. (doi:10.1039/b712324h).
- [153] Cambou, A.D. & Menon, N. 2011 Three-dimensional structure of a sheet crumpled into a ball. *Proceedings of the National Academy of Sciences of the United States of America* **108**, 14741-14745. (doi:10.1073/pnas.1019192108).
- [154] Ma, X., Zachariah, M.R. & Zangmeister, C.D. 2012 Crumpled nanopaper from graphene oxide. *Nano letters* **12**, 486-489. (doi:10.1021/nl203964z).
- [155] Araque, E., Villalonga, R., Gamella, M., Martínez-Ruiz, P., Reviejo, J. & Pingarrón, J.M. 2013 Crumpled reduced graphene oxide-polyamidoamine dendrimer hybrid nanoparticles for the preparation of an electrochemical biosensor. *Journal of Materials Chemistry B* **1**, 2289. (doi:10.1039/c3tb20078g).
- [156] Deboeuf, S., Katzav, E., Boudaoud, A., Bonn, D. & Adda-Bedia, M. 2013 Comparative Study of Crumpling and Folding of Thin Sheets. *Phys Rev Lett* **110**. (doi:10.1103/PhysRevLett.110.104301).
- [157] Liu, Y.-Z., Chen, C.-M., Li, Y.-F., Li, X.-M., Kong, Q.-Q. & Wang, M.-Z. 2014 Crumpled reduced graphene oxide by flame-induced reduction of graphite oxide for supercapacitive energy storage. *Journal of Materials Chemistry A* **2**, 5730. (doi:10.1039/c3ta15082h).
- [158] Ahmed, S.F., Rho, G.-H., Lee, K.-R., Vaziri, A. & Moon, M.-W. 2010 High aspect ratio wrinkles on a soft polymer. *Soft Matter* **6**, 5709. (doi:10.1039/c0sm00386g).

[159] Chen, Y., Guo, F., Jachak, A., Kim, S.P., Datta, D., Liu, J., Kulaots, I., Vaslet, C., Jang, H.D., Huang, J., et al. 2012 Aerosol synthesis of cargo-filled graphene nanosacks. *Nano letters* **12**, 1996-2002. (doi:10.1021/nl2045952).

[160] Naess, S.N., Elgsaeter, A., Helgesen, G. & Knudsen, K.D. 2009 Carbon nanocones: wall structure and morphology. *Science and Technology of Advanced Materials* **10**, 065002. (doi:10.1088/1468-6996/10/6/065002).